

CASE STUDY EXAMPLE - DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA725)

Current Human Exposures Under Control

Facility Name: XYZ Corporation
Facility Address: 750 Indicator Blvd.
Facility EPA ID #: CAD 11111111

1. Has all available relevant/significant information on known and reasonably suspected releases to soil, groundwater, surface water/sediments, and air, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?

 X If yes - check here and continue with #2 below.

 If no - re-evaluate existing data, or

 if data are not available skip to #6 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Current Human Exposures Under Control" EI

A positive "Current Human Exposures Under Control" EI determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land- and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Current Human Exposures Under Control" EI are for reasonably expected human exposures under current land- and groundwater-use conditions ONLY, and do not consider potential future land- or groundwater-use conditions or ecological receptors. The RCRA Corrective Action program's overall mission to protect human health and the environment requires that Final remedies address these issues (i.e., potential future human exposure scenarios, future land and groundwater uses, and ecological receptors).

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

**Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)**

Page 2

2. Are groundwater, soil, surface water, sediments, or air media known or reasonably suspected to be "contaminated"¹ above appropriately protective risk-based "levels" (applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action (from SWMUs, RUs or AOCs)?

	<u>Yes</u>	<u>No</u>	<u>?</u>	<u>Rationale / Key Contaminants</u>
Groundwater	<u>X</u>	<u> </u>	<u> </u>	<i>RFI Report, dated 1/1/98, TCE levels exceed MCLs</i>
Air (indoors) ²	<u> </u>	<u> </u>	<u>X</u>	<i>Unknown</i>
Surface Soil (e.g., <2 ft)	<u>X</u>	<u> </u>	<u> </u>	<i>RFI Report, dated 12/24/98 lead & cadmium concentrations are 20 times the health based industrial standard</i>
Surface Water	<u> </u>	<u>X</u>	<u> </u>	<i>RFI Report, dated 1/1/98, the surface water is saline and is not used as a source of drinking water</i>
Sediment	<u> </u>	<u>X</u>	<u> </u>	<i>RFI Report, dated 12/24/98, contaminated with VOCs below ecological action levels</i>
Subsurf. Soil (e.g., >2 ft)	<u>X</u>	<u> </u>	<u> </u>	<i>RFI Report, dated 12/24/98, subsurface soil contaminated with VOCs above action levels</i>
Air (outdoors)	<u> </u>	<u> </u>	<u>X</u>	<i>Unknown</i>

 If no (for all media) - skip to #6, and enter "YE," status code after providing or citing appropriate "levels," and referencing sufficient supporting documentation demonstrating that these "levels" are not exceeded.

X If yes (for any media) - continue after identifying key contaminants in each "contaminated" medium, citing appropriate "levels" (or provide an explanation for the determination that the medium could pose an unacceptable risk), and referencing supporting documentation.

 If unknown or no (for all media) - skip to #6 and enter "IN" status code.

Rationale and Reference(s): *Reference Source 1: RFI Report, Groundwater, XYZ Corporation, dated 1/1/98*

Reference Source 2: RFI Report, Soils, XYZ Corporation, dated 12/24/98

Groundwater: *Source 1, TCE levels exceed MCLs. TCE concentrations within the plume area range from 15 ug/L to 400 ug/L which exceed the MCL of 5 ug/L.*

Surface Soil: *Source 2, lead & cadmium concentrations in the waste pile area of the undeveloped portion of the site range from non-detect to twenty times the industrial health-based guidance levels. The contamination extends to a depth of approximately 20 inches and covers about 0.3 acres in area.*

Subsurf. Soil: *Source 2, subsurface soils contaminated are contaminated with high levels of VOCs*

Footnotes:

¹ "Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriately protective risk-based "levels" (for the media, that identify risks within the acceptable risk range).

² Recent evidence (from the Colorado Dept. of Public Health and Environment, and others) suggest that unacceptable indoor air concentrations are more common in structures above groundwater with volatile contaminants than previously believed. This is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration necessary to be reasonably certain that indoor air (in structures located above (and adjacent to) groundwater with volatile contaminants) does not present unacceptable risks.

Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)
Page 3

3. Are there complete pathways between "contamination" and human receptors such that exposures can be reasonably expected under the current (land- and groundwater-use) conditions?

Summary Exposure Pathway Evaluation Table

Potential Human Receptors (Under Current Conditions)

"Contaminated" Media	Residents	Workers	Day-Care	Construction	Trespassers	Recreation	Food³
Groundwater	N	N		Y			
Air (indoors)		?					
Soil (surface, e.g., <2 ft)	Y	Y		Y	Y	N	
Surface Water							
Sediment							
Soil (subsurface e.g., >2 ft)				Y			
Air (outdoors)							

Instructions for Summary Exposure Pathway Evaluation Table:

1. Strike-out specific Media including Human Receptors' spaces for Media which are not "contaminated") as identified in #2 above.
2. enter "yes", "no" or "?" for potential "completeness" under each "Contaminated" Media -- Human Receptor combination (Pathway).

Note: In order to focus the evaluation to the most probable combinations some potential "Contaminated" Media - Human Receptor combinations (Pathways) do not have check spaces ("___"). While these combinations may not be probable in most situations they may be possible in some settings and should be added as necessary.

___ If no (pathways are not complete for any contaminated media-receptor combination) - skip to #6, and enter "YE" status code, after explaining and/or referencing condition(s) in-place, whether natural or man-made, preventing a complete exposure pathway from each contaminated medium (e.g., use optional Pathway Evaluation Work Sheet to analyze major pathways).

___X___ If yes (pathways are complete for any "Contaminated" Media - Human Receptor combination) - continue after providing supporting explanation.

___ If unknown or no (for all "Contaminated" Media - Human Receptor combination) - skip to #6 and enter "IN" status code

Rationale and Reference(s): *See Attached Page*

³ Indirect Pathway/Receptor (e.g., vegetables, fruits, crops, meat and dairy products, fish, shellfish, etc.)

**Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)**

3. Are there complete pathways between "contamination" and human receptors such that exposures can be reasonably expected under the current (land- and groundwater-use) conditions? (continued)

See response to question 2 for references

Groundwater: *The contaminated groundwater extends to shallow depths that could come into contact with construction workers who are excavating soil See question 2 for details on contamination.*

The contaminated groundwater does not impact drinking water sources. The upper aquifer is contaminated above Maximum Contaminant Levels for TCE but is not currently used as a drinking water source due to high salinity. The nearest drinking water supply well is located 2 miles upgradient of the facility and is screened in the lower uncontaminated aquifer. The lower aquifer which is used as a source of drinking water is separated from the upper contaminated aquifer by an 80 foot thick clay aquitard.

Surface Soil: *Windblown dust from the wastepile area could impact residents, workers, construction workers and trespassers. The case study indicates that residents are located approximately 250 feet from the property boundary in a direction that is "generally upwind" from the site. Wind direction can vary and could easily change direction and blow contaminated surface soil towards the residential area. See question 2 for details on contamination.*

Subsurface Soil: *Construction workers could be impacted from excavating VOC contaminated soil.*

Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)
Page 4

- 4 Can the exposures from any of the complete pathways identified in #3 be reasonably expected to be "significant"⁴ (i.e., potentially "unacceptable" because exposures can be reasonably expected to be: 1) greater in magnitude (intensity, frequency and/or duration) than assumed in the derivation of the acceptable "levels" (used to identify the "contamination"); or 2) the combination of exposure magnitude (perhaps even though low) and contaminant concentrations (which may be substantially above the acceptable "levels") could result in greater than acceptable risks)?

_____ If no (exposures can not be reasonably expected to be significant (i.e., potentially "unacceptable") for any complete exposure pathway) - skip to #6 and enter "YE" status code after explaining and/or referencing documentation justifying why the exposures (from each of the complete pathways) to "contamination" (identified in #3) are not expected to be "significant."

 X If yes (exposures could be reasonably expected to be "significant" (i.e., potentially "unacceptable") for any complete exposure pathway) - continue after providing a description (of each potentially "unacceptable" exposure pathway) and explaining and/or referencing documentation justifying why the exposures (from each of the remaining complete pathways) to "contamination" (identified in #3) are not expected to be "significant."

_____ If unknown (for any complete pathway) - skip to #6 and enter "IN" status code

Rationale and Reference(s):

Surface Soil: Windblown dust from the wastepile area could impact residents, workers, construction workers and trespassers. Concentrations of lead and cadmium in the waste pile area range from non-detect to twenty times the industrial health-based guidance levels. See response to question 2 for additional detail on the extent of surface soil contamination.

Groundwater: See response to question 3

Subsurface Soil: See response to question 3

Outdoor Air: The exposure to outdoor air emissions from corrective action units is not considered to be significant. Volatilization of subsurface VOC contamination is limited by the site paving which covers the contaminated areas. Process area workers are required to use respiratory protection.

⁴ If there is any question on whether the identified exposures are "significant" (i.e., potentially "unacceptable") consult a human health Risk Assessment specialist with appropriate education, training and experience.

Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)
Page 5

5 Can the "significant" exposures (identified in #4) be shown to be within acceptable limits?

- _____ If yes (all "significant" exposures have been shown to be within acceptable limits) - continue and enter "YE" after summarizing and referencing documentation justifying why all "significant" exposures to "contamination" are within acceptable limits (e.g., a site-specific Human Health Risk Assessment).
- ___X___ If no (there are current exposures that can be reasonably expected to be "unacceptable") - continue and enter "NO" status code after providing a description of each potentially "unacceptable" exposure.
- _____ If unknown (for any potentially "unacceptable" exposure) - continue and enter "IN" status code

Rationale and Reference(s): *See response to question 4.*

Current Human Exposures Under Control
Environmental Indicator (EI) RCRIS code (CA725)
Page 6

6. Check the appropriate RCRIS status codes for the Current Human Exposures Under Control EI event code (CA725), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (and attach appropriate supporting documentation as well as a map of the facility):

☐ YE - Yes, "Current Human Exposures Under Control" has been verified. Based on a review of the information contained in this EI Determination, "Current Human Exposures" are expected to be "Under Control" at the _____ facility, EPA ID # _____, located at _____ under current and reasonably expected conditions. This determination will be re-evaluated when the Agency/State becomes aware of significant changes at the facility.

☒ NO - "Current Human Exposures" are NOT "Under Control."

☐ IN - More information is needed to make a determination.

Completed by (signature) _____ Date _____
(print) _____
(title) _____

Supervisor (signature) _____ Date _____
(print) _____
(title) _____
(EPA Region or State) _____

Locations where References may be found:

List the title and location of offices where references can located. _____

Contact telephone and e-mail numbers

(name) _____
(phone #) _____
(e-mail) _____

7. For sites with NO or IN determinations, please comment or provide recommendations on strategy to achieve a YE determination. (Include any potential problems for reaching YE determination by 2005.)

Recommendations/Comments:

The XYZ Corporation has agreed to remediate the contaminated surface soils. We expect the contaminated surface soil to be removed by the year 2001. The regulatory agency should oversee the remediation work to ensure that it is completed and adequately addresses the surface soil contamination.

The XYZ Corporation should use an institutional control such as a deed notice to address the possible impacts to construction workers from the VOC contaminated subsurface soils and groundwater. Risks could be mitigated if workers were advised of the contamination and could use protective equipment.

The question of indoor air related to corrective action (question 2) is an emerging issue that has not been resolved. Project managers should evaluate indoor air issues on a site-specific basis.

8. This site will be re-evaluated in 2001 or when new information becomes available that changes the EI determination.

FINAL NOTE: THE HUMAN EXPOSURES EI IS A QUALITATIVE SCREENING OF EXPOSURES AND THE DETERMINATIONS WITHIN THIS DOCUMENT SHOULD NOT BE USED AS THE SOLE BASIS FOR RESTRICTING THE SCOPE OF MORE DETAILED (E.G., SITE-SPECIFIC) ASSESSMENTS OF RISK.

CASE STUDY EXAMPLE - DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION
Interim Final 2/5/99

**RCRA Corrective Action
Environmental Indicator (EI) RCRIS code (CA750)**

Migration of Contaminated Groundwater Under Control

Facility Name: XYZ Corporation
Facility Address: 750 Indicator Blvd.
Facility EPA ID #: CAD 11111111

1. Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?
- ☒ X If yes - check here and continue with #2 below.
- ☐ If no - re-evaluate existing data, or
- ☐ if data are not available, skip to #8 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 2

2. Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

 X If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.

 If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."

 If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s):

RFI Report, Groundwater, XYZ Corporation, dated 1/1/98

Trichloroethylene (TCE) levels exceed Maximum Contaminant Levels (MCLs). TCE concentrations within the plume area range from 15 ug/L to 400 ug/L which exceed the MCL of 5 ug/L.

Footnotes:

"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 3

3. Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater"² as defined by the monitoring locations designated at the time of this determination)?

 X If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination"².

 If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination"²) - skip to #8 and enter "NO" status code, after providing an explanation.

 If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s): *RFI Report, Groundwater, XYZ Corporation, dated 1/1/98*

Eight years of monitoring data show that the groundwater plume has stabilized both laterally and vertically. The XYZ Corporation has been operating a pump and treatment system at the facility since 1992. Six extraction wells have been pumping out a total of 24 gallons per minute for treatment on-site.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

**Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)**

Page 4

4. Does "contaminated" groundwater discharge into surface water bodies?

☒ **X** If yes - continue after identifying potentially affected surface water bodies.

☐ If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.

☐ If unknown - skip to #8 and enter "IN" status code.

Rationale and Reference(s): *RFI Report, Groundwater, XYZ Corporation, dated 1/1/98*

The RFI Report indicates that the groundwater discharges into the adjacent wetlands.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 5

5. Is the discharge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

_____ If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

 X If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration³ of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

_____ If unknown - enter "IN" status code in #8.

Rationale and Reference(s): *RFI Report, Groundwater, XYZ Corporation, dated 1/1/98*

Groundwater discharging into the wetlands (surface water) contains TCE at a concentration of 140 ug/L. This concentration is greater than 10 times the Maximum Contaminant Level of 5 ug/L for TCE and is therefore considered to be potentially significant.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 6

6. Can the discharge of "contaminated" groundwater into surface water be shown to be "currently acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented)?

 X If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment,⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

 If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.

 If unknown - skip to 8 and enter "IN" status code.

Rationale and Reference(s): *RFI Report, Groundwater, XYZ Corporation, dated 1/1/98*

TCE has been detected in the surface water of the wetlands at a concentration of 20 ug/L which is below the aquatic life criteria action level of 2000 ug/L. The surface water is saline and not used as a source of drinking water.

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)

Page 7

7. Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"

☒ **X** If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."

☐ If no - enter "NO" status code in #8.

☐ If unknown - enter "IN" status code in #8.

Rationale and Reference(s):

The regulatory agency will require continued surface water and groundwater monitoring as part of the final remedy for the XYZ Corporation.

Migration of Contaminated Groundwater Under Control
Environmental Indicator (EI) RCRIS code (CA750)
Page 8

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

 X YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the XYZ Corporation facility, EPA ID # 111111111, located at 750 Indicator Blvd. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

 NO - Unacceptable migration of contaminated groundwater is observed or expected.

 IN - More information is needed to make a determination.

Completed by (signature) _____ Date _____
(print) _____
(title) _____

Supervisor (signature) _____ Date _____
(print) _____
(title) _____
(EPA Region or State) _____

Locations where References may be found:

List the title and location of offices where references can be located. _____

Contact telephone and e-mail numbers

(name) _____
(phone #) _____
(e-mail) _____

9. For sites with **NO** or **IN** determinations, please comment or provide recommendations on strategy to achieve a **YE** determination. (Include any potential problems for reaching **YE** determination by 2005.)

10. This site will be re-evaluated in 20 01, or when new information becomes available that changes the EI determination.